

HP LaserJet Managed MFP E826 Series



Product Guide



Unleash
peak productivity



HP WOLF SECURITY

Always on guard with
HP Wolf Security¹



Next-generation Flow
technology

Unleash peak productivity

Now, you can accelerate your print and scan workflows to maximize business productivity, with the HP LaserJet Managed MFP E800 series.

The result: more time for your core business and less time waiting for prints and scans.



POWERED BY SYSTEM ON A CHIP

With x7 more compute power² than previous models, the HP LaserJet Managed MFP E800 series is a powerhouse of speed with all print, copy, scan, security, and other display subsystems integrated into a single chip.



PRINT OR COPY VIRTUALLY EVERY DOCUMENT AT FULL SPEED

Now, virtually every document can be copied or printed at full-engine speed to meet high-productivity demands. What's more, the automated document feeder (ADF) features HP's Reverse & retry technology⁴ so you can continue to work while your scan and copy jobs are running.



UP TO 70PPM PRINTING SPEED³

Meet tight deadlines, save time on everyday printing tasks, and be ready for unexpected multi-print requests. HP delivers the speed needed for maximum productivity.



FAST SLEEP TO FIRST COPY OUTPUT TIME (FCOT)

Compared to previous generation printers, the HP LaserJet Managed MFP E800 series features accelerated FCOT time so your printer wakes up quickly from sleep mode as soon as you use the touchscreen to deliver your prints or copies faster.



10.1-INCH COLOR TOUCHSCREEN DISPLAY

Experience the ultimate in productivity with a vivid and intuitive display that helps make the HP LaserJet Managed MFP E800 series easy to use, no matter how you use your MFP.



Do more with next-generation Flow technology

Businesses grow and evolve. So should your MFP. The next-generation of HP Flow technology makes that possible. Its cloud-based software provides flexible, customized cloud-connected solutions to help optimize your print and scan workflows; today and as they change in the future.

REVERSE & RETRY TECHNOLOGY⁴

Innovative Reverse and retry technology⁴ detects and resolves double feed issues. Minimizing multi-feed errors reduces paper jams and frustration while enhancing workflows.

ONE SCAN. MULTIPLE DESTINATIONS.

Sending documents to recipients at multiple destinations with multiple delivery requirements? Not a problem. With HP Flow technology, you can scan once and simply manage your files with the color touchscreen for customized delivery options for each recipient – email, fax, SharePoint, and even print a paper copy.⁵ HP saves you time and does it all in just one scan operation.

CUSTOMIZED DIGITAL EDITING OF SCANNED DOCUMENTS

With Flow technology, you can digitally edit and personalize copies of the original using direct manipulation of scanned content at the MFP. Use the 10.1-inch color touchscreen display to edit, markup, redact, and highlight comments for recipients.

FAST DUPLEX SCANNING

Keep pace with demand for digital documentation with fast 300 ipm⁶ duplex scanning and enhanced OCR capabilities. Plus, you can further increase performance with the optional Workflow accelerator card.⁵


SCAN SMARTER. LOAD AND GO.

Flow's auto-sensing technology feature is your silent digital workflow assistant. Smart auto-sensing does it all, from picking the best image quality based on type (text or photo) and paper tone/color, to detecting two-sided prints, and automatic separation of scan jobs. The result: higher productivity and job management accuracy along with professional-looking prints that make your business look good.

Designed for impact

Today's workplace is more open and fluid, helping foster collaboration and communication among team members. Your HP printer can play a key role.

Make a visual statement at your workplace with six distinct, easy-to-install color panels⁷ to suit your office décor, represent your brand, and energize your space.



Better printing for a better planet

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel, and Energy Star standards,⁸ supporting HP's goal for carbon neutrality and a fully sustainable economy.

- **SUPPORT ZERO DEFORESTATION⁹** - The fiber-based packaging, including the outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.
- **DESIGNED TO ELIMINATE WASTE¹⁰** - Our devices are made with the planet in mind with energy-efficient printing and toner cartridges with more than 59% recycled cartridge content¹¹ and 90% recycled packaging content. Printing that puts the planet first.
- **BREAKTHROUGH TONER TECHNOLOGY** - With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.¹²
- **REDUCE PAPER WASTE** - By using HP Pull/Pin printing solutions and duplex print as the default¹³ setting, our devices conserve paper wherever possible.
- **EXTEND PRODUCT LIFE** - Our durable modular designs and HP SDS predictive diagnostics help keep our products up and running longer.
- **EASY RECYCLING WITH HP PLANET PARTNERS¹⁴** - Our sustainable efforts don't stop when you stop printing. With HP Planet Partners, we provide a convenient way to recycle HP IT hardware and supplies after use.



Always on guard with HP Wolf Security¹

HP Managed MFPs are the world's most secure printing devices¹⁵ in the industry. They're always on the lookout, continually stopping threats while adapting to new ones. Only HP printers can automatically self-heal from attacks, so IT doesn't need to intervene. For peace of mind, HP Wolf Enterprise Security is included with every HP LaserJet Managed MFP E800 Series so you can feel protected whether you are collaborating, on premise, or via the cloud.

ALWAYS-ON PROTECTION

- HP Sure Start checks the BIOS/boot code at start up to validate the integrity of the BIOS code
- Memory Shield™ active system monitoring with expanded memory protection from malware injection attacks
- HP Connection Inspector inspects outgoing network connections to stop suspicious requests like malware
- Whitelisting checks firmware during startup to help ensure it's authentic, good code; digitally signed by HP
- Receive instant notification of security issues via leading Security Information and Event Management (SIEM) tools like Splunk, ArcSight, McAfee, and SIEMonster

ALWAYS-ON DETECTION


- Protects with zero-day detection of threats
- Prevents malware attacks by ensuring that the execution flow on the device cannot be altered
- Monitors the execution flow for potential zero-day attacks with Control Flow Integrity
- Self-heals and reboots to a safe state of operation when malware is detected
- Detects attacks in runtime memory via an integrated chip that provides hardware-level protection

ENTERPRISE-WIDE SECURITY

HP Security Manager¹⁶ offers an effective, policy-based approach to help secure HP printing and imaging devices. Easily set security configuration policies and automatically validate settings for every HP printer and MFP in your fleet.

Get to know the HP LaserJet Managed MFP E826 series

HP LaserJet Managed Flow MFP E826z shown



Series at a glance



| | | | |
|--|--|--|--|
| Model | Flow MFP E826z 50ppm | Flow MFP E826z 60ppm | Flow MFP E826z 70ppm |
| Product number | 5QK13A | 5QK13A (Base) + 8EP63AAE (Speed license) | 5QK13A (Base) + 8EP64AAE (Speed license) |
| Functions | Print, copy, and scan (fax and wireless optional) (all models) | | |
| Print speed (A4, letter and black) ³ | Up to 50ppm | Up to 60ppm | Up to 70ppm |
| Scan speed (A4, letter and black) ⁶ | 150ppm/300ipm, simplex/duplex | | |
| ADF capacity | 300 sheets | | |
| Input capacity | Standard: 1,140 sheets; Maximum: 6,140 sheets (all models) | | |
| Advanced workflow features | HP EveryPage technology, ¹⁸ full size keyboard, embedded OCR, Reverse and retry, ⁴ auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, job separation | | |



| | | | |
|--|--|--|--|
| Model | MFP E826dn 50ppm | MFP E826dn 60ppm | MFP E826dn 70ppm |
| Product number | 5QK09A | 5QK09A (Base) + 8EP63AAE (Speed license) | 5QK09A (Base) + 8EP64AAE (Speed license) |
| Functions | Print, copy, and scan (fax and wireless optional) (all models) | | |
| Print speed (A4, letter and black) ³ | Up to 50ppm | Up to 60ppm | Up to 70ppm |
| Scan speed (A4, letter and black) ⁶ | 90ppm/180ipm, simplex/duplex | | |
| ADF capacity | 200 sheets | | |
| Input capacity | Standard: 1,140 sheets; Maximum: 6,140 sheets (all models) | | |
| Advanced workflow features | No | | |

Configuration

HP LaserJet Managed MFP E826 series

Select only one finisher accessory: Recommended



Inner finisher (6GW49A)

Top tray:

- Up to 500 sheets (stack)
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 325gsm (16 to 86 lb)

Main tray:

- Up to 500 sheets (sort/stack/staple/punch)
 - Media size up to SRA3 (12 x 18-inch)
 - Media weight: 60 to 256gsm (16 to 68 lb)
- Inner finisher is not compatible with 70ppm



Hole punch

- For Booklet or Stapler/stacker finisher (shown above): Y1G10A (2/3), Y1G11A (2/4), Y1G12A (Swedish)
- For Inner finisher: 155P7A, (2/3) 155P8A (2/4), 155P9A (Swedish)



Staples (5,000)

- For Inner finisher or Booklet finisher: Y1G13A
- For Stapler/stacker finisher or Booklet finisher: Y1G14A



Booklet finisher (6GW51A)

Top tray:

- Up to 250 sheets (stack/punch)
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 300gsm (16 to 79 lb)

Main tray:

- Up to 2,000 sheets (sort/stack/staple/punch)
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 325gsm (16 to 86 lb)

Booklet tray:

- ~5 sets of 25 sheets each (booklet)
- C-fold, V-fold




Stapler/stacker finisher (6GW55A)

Top tray:

- Up to 250 sheets (stack/punch)
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 300gsm (16 to 79 lb)


Main tray:

- Up to 3,000 sheets (sort/stack/staple/punch)
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 325gsm (16 to 86 lb)



Job separator (6GW50A)

- Up to 125 sheets
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 325gsm (16 to 86 lb)



Standard on dn models:

200-sheet ADF

- Single pass, two-sided scanning
- Scans up to 90 ppm, simplex and 180 ipm, duplex
- Media size: up to A3 (11 x 17-inch)
- Media weight: 45 to 199gsm (12 to 53 lb)

100-sheet multipurpose tray 1

- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 325gsm (16 to 86 lb)

520-sheet tray 2

- Media size: Up to B4 (legal)
- Media weight: 60 to 325gsm (16 to 86 lb)


520-sheet tray 3

- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 325gsm (16 to 86 lb)

Select input accessory: Requirements vary by region



Stand (6GW53A)



2x520 sheet paper tray/stand (6GW47A)

- Tray 1: up to 520 sheets
- Tray 2: up to 520 sheets
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 300gsm (16 to 79 lb)



2000 sheet high-capacity paper tray/stand (6GW57A)

- Up to 2,000 sheets
- Media size: A4 (letter)
- Media weight: 60 to 300gsm (16 to 79 lb)



3000 sheet High capacity paper tray/stand (6GW56A)

- Up to 3,000 sheets
- Media size: A4 (letter)
- Media weight: 60 to 300gsm (16 to 79 lb)
- Requires selection of either 2x520 Tray/Stand, or 2000 High Capacity Tray/Stand



Tray heater 110V (Y1G22A) Tray heater 220V (Y1G22A)

Helps reduce paper jams in high humidity environments. Optional; may choose one. If 2x520 sheet Paper Tray/Stand, or 2000 sheet High Capacity Paper Tray/Stand is selected, may select one additional tray heater.

Paper Handling Accessories

HP LaserJet Managed MFP E826 series



Stand (6GW53A)



2x520 sheet paper tray/stand (6GW47A)



2000 sheet high-capacity paper tray/stand (6GW57A)



3000 sheet high-capacity paper tray/stand (6GW56A)

Required:

Requirements vary by region; only one can be added at a time.

Exception: 3000 high-capacity tray/stand requires either 2x520 Tray/Stand, or 2000 high-capacity Tray/Stand.

Input capacity: N/A

Tray 1: up to 520 sheets
Tray 2: up to 520 sheets

Up to 2,000 sheets

Up to 3,000 sheets



Inner finisher (6GW49A)



Stapler/stacker (6GW55A)



Booklet finisher (6GW51A)

Top tray: up to 50 sheets
Main (finishing) tray:
up to 500 sheets

Top tray: up to 250 sheets
Main (finishing) tray:
up to 3,000 sheets

Top tray: up to 250 sheets
Main (finishing) tray:
up to 2,000 sheets
Booklet tray: up to 5 sets
of 25 sheets each

One finisher accessory is recommended; only one can be added at a time. Inner finisher/inner finisher hole punches are not compatible with 70ppm

Staples up to 50 sheets

Staples up to 65 sheets

Staples up to 65 sheets

E826z Technical specifications

| | | | | |
|--|---|--------------------|------------------------------------|------------------------------------|
| Functions | Print, copy, scan, fax (optional) | | | |
| Print speed ^{3/9} | Letter Black | Up to 50ppm | Up to 60ppm (with 8EP63AAE) | Up to 70ppm (with 8EP64AAE) |
| | A4 Black | Up to 50ppm | Up to 60ppm (with 8EP63AAE) | Up to 70ppm (with 8EP64AAE) |
| | First page out Letter Black | As fast as 7.2 sec | As fast as 6.9 sec (with 8EP63AAE) | As fast as 6.8 sec (with 8EP64AAE) |
| | First page out A4 Black | As fast as 7.2 sec | As fast as 6.9 sec (with 8EP63AAE) | As fast as 6.8 sec (with 8EP64AAE) |
| Print resolution | Black (best): Up to 1200 x 1200 dpi full speed; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi | | | |
| Print technology | Laser; Optical: Normal (600 x 600 4 bit); Best (1200 x 1200 1 bit) | | | |
| Print cartridges number | 1 (black) | | | |
| Standard print languages | HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible | | | |
| Printer smart software features | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB | | | |
| Color scanning | Yes | | | |
| Scan speed Normal | Up to 150ppm/300ipm (b&w), up to 150ppm/300ipm (color) Duplex: Up to 300ipm (b&w), up to 300ipm (color) | | | |
| Scan type / Technology ⁶ | Flatbed, ADF / Platen Scanner CCD Digital-CIS | | | |
| Scan resolution | Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi | | | |
| Scan file format | PDF, Hi-Compression PDF, PDF/A, Hi-Compression PDF/A, JPEG, TIFF, MTIFF, XPS, PDF (OCR), Hi-Compression PDF (OCR), PDF/A (OCR), Hi-Compression PDF/A (OCR), TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), HTML (OCR), CSV (OCR) | | | |
| Scan input modes | Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (EXP), HP Workpath applications | | | |
| Scan size | ADF: 12 x 34 in Maximum; 2.7 x 5 in Minimum; Flatbed: 11.69 x 17 in | | | |
| Scanner advanced features | Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto-orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps | | | |
| Duplex ADF scanning | Yes | | | |
| ADF capacity | Standard, 300 sheets | | | |
| Twain version | Version 2.4 | | | |
| Bit depth / Grayscale levels | 24-bit/256 | | | |
| Digital sending standard features | Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to sFTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; scan to multi-destination; embedded OCR; auto-tone, auto-orientation, auto-page-crop; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation; automatically straighten | | | |
| Copy speed | Letter Black | Up to 50 cpm | Up to 60 cpm (with 8EP63AAE) | Up to 70 cpm (with 8EP64AAE) |
| | A4 Black | Up to 50 cpm | Up to 60 cpm (with 8EP63AAE) | Up to 70 cpm (with 8EP64AAE) |
| | Letter Black Duplex | Up to 50 cpm | Up to 60 cpm (with 8EP63AAE) | Up to 70 cpm (with 8EP64AAE) |
| | A4 Black Duplex | Up to 50 cpm | Up to 60 cpm (with 8EP63AAE) | Up to 70 cpm (with 8EP64AAE) |
| | First copy out Letter Black | As fast as 3.9 sec | As fast as 3.4 sec (with 8EP63AAE) | As fast as 3.3 sec (with 8EP64AAE) |
| | First copy out A4 Black | As fast as 3.9 sec | As fast as 3.4 sec (with 8EP63AAE) | As fast as 3.3 sec (with 8EP64AAE) |
| Copy resolution | Black (text and graphics): Up to 600 x 600 dpi | | | |
| Maximum number of copies | Up to 9999 copies | | | |
| Copier resize | 25 to 400% | | | |
| Copier settings | Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Color Removal; Job Separation; Automatically Straighten; | | | |
| Fax speed | Up to: 33.6 kbps / Letter: 3 sec per page | | | |
| Fax resolution | Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi | | | |
| Fax features | Fax memory: Up to 500 pages; Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes (poll to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes; Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes; Remote retrieval capability supported: No; Telephone handset supported: No | | | |
| Standard connectivity | 2 Hi-Speed USB 2.0 Host; 1 Super-Speed USB 3.0 Device; 1 GIGABIT Ethernet 10/100/1000T network; 1 Hardware Integration Pocket | | | |
| Network capabilities | Standard (built-in Gigabit 10/100/1000T Ethernet) | | | |

E826z Technical specifications

| | | | | |
|---|---|---------------------|-------------------------------------|-------------------------------------|
| Wireless capability | Optional, enabled with purchase of a hardware accessory | | | |
| Mobile printing capability | Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); PrinterOn Print | | | |
| Memory | Standard: 6 GB; Maximum: 6 GB | | | |
| Processor speed | Quad Cortex A72 1.6Ghz, Dual Cortex A53 1.4Ghz / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) | | | |
| Duty cycle (monthly) | Letter: | Up to 200,000 pages | Up to 250,000 pages (with 8EP63AAE) | Up to 300,000 pages (with 8EP64AAE) |
| | A4: | Up to 200,000 pages | Up to 250,000 pages (with 8EP63AAE) | Up to 300,000 pages (with 8EP64AAE) |
| Recommended monthly page volume | Up to 60,000 | | | |
| Paper handling | Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3 | | | |
| Media types supported | Plain, HP EcoEFFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Mono Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored | | | |
| Media weight supported | Tray 1, 2, 3: 16 to 86.5 lb bond | | | |
| Media sizes supported | Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k | | | |
| Media sizes Custom | Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in | | | |
| What's in the box | 50K13A In box materials; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums. | | | |
| Replacement cartridges²⁰ | HP Black Managed LJ Toner Cartridge (ISO Yield 30,000) W9084MC, HP Black Managed LJ Toner Cartridge (ISO Yield 60,000) W9085MC. Toner cartridge availability differs by region. For more detail, please find your market datasheets. | | | |
| Product dimensions | W x d x h: 25.2 x 29.4 x 36.8 in Maximum: 65.2 x 51.2 x 59.2 in | | | |
| Product weight | 182.7 lb | | | |
| Warranty features | 90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region. | | | |
| Energy star certified | Yes | | | |
| Energy efficiency compliance | EPEAT® registered; IT ECO Declaration; Blue Angel | | | |
| Control panel | 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker | | | |
| Display description | 10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD) | | | |
| Software included | No software solutions are included in the Box: only on http://hp.com http://123.hp.com | | | |
| Compatible operating systems | Windows Client OS (32/64 bit), Win10, Win11, Win7 Ultimate, Mobile OS's, iOS, Android, Apple macOS's, Apple macOS Catalina v10.15, Apple macOS Big Sur v11.0, Apple macOS Monterey v12.0, (All operating systems with the latest updates) | | | |
| Compatible network operating systems | Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information, see http://citrixready.citrix.com , Linux- For more information, see http://developers.hp.com/hp-linux-imaging-and-printing , Unix- For more information, see http://hp.com/go/unixmodelscripts , (All operating systems with the latest updates) | | | |
| Minimum system requirements | PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see apple.com | | | |
| Power | Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 100 to 127VAC 50/60Hz, 110 to 127VAC 50/60Hz, 220 to 240VAC 50/60Hz (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 870 watts (50ppm, printing), 1010 watts (60ppm, printing), 1090 watts (70ppm, printing), 36.0 watts (ready), 0.9 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off) | | | |
| Acoustics | Acoustic power emissions: 6.85 Bel(A), printing simplex A4 at 50ppm; 6.95 Bel(A), printing simplex A4 at 60ppm; 7.10 Bel(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 53dB(A), printing simplex A4 at 50ppm; 54dB(A), printing simplex A4 at 60ppm; 55dB(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan): 54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm | | | |
| Operating environment | Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH | | | |

E826 Accessories²¹

| Accessory Description | Accessory SKU # |
|--|--|
| HP LaserJet Inner Finisher 2/3 Hole Punch | 155P7A (not configurable to 70PPM) ²² |
| HP LaserJet Inner Finisher 2/4 Hole Punch | 155P8A (not configurable to 70PPM) ²² |
| HP LaserJet Inner Finisher Swedish Hole Punch | 155P9A (not configurable to 70PPM) ²² |
| HP Printing Voice Assistant | 478C2A |
| HP Removable Hard Drive Enclosure | 2NR12A |
| HP Accessibility Kit | 2TD64A |
| HP Jetdirect 3100w BLE/NFC/Wireless Accessory | 3JN69A |
| HP Legic Reader | 4QL32A |
| HP Internal USB Expansion Kit | 4XN67A |
| HP MFP 810 Analog Dual Fax | 5QK14A |
| HP LaserJet 2x520 sheet Department Paper Tray/Stand | 6GW47A |
| HP LaserJet Inner Finisher | 6GW49A (not configurable to 70PPM) ²² |
| HP LaserJet Department Job Separator | 6GW50A |
| HP LaserJet Booklet Finisher | 6GW51A |
| HP LaserJet Department Stand | 6GW53A |
| HP LaserJet Stapler/Stacker Finisher | 6GW55A |
| HP LaserJet 3000 sheet Department High Capacity Paper Tray/Stand | 6GW56A |
| HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand | 6GW57A |
| HP LaserJet Workflow Accelerator Card | 6HN30A ²³ (Flow model only) |
| HP 500GB CCC, FIPS, TAA Hard Disk Drive | 6HN31A |
| HP MFP 811 Analog Dual Fax | 7ZA07A |
| HP MFP 800 Analog Single Fax | 7ZA08A |
| HP MFP 801 Analog Single Fax | 7ZA09A |
| HP Jetdirect LAN Accessory | 8FP31A |
| HP 500GB CCC, FIPS Hard Disk Drive | 9EQ11A |
| HP Foreign Interface Harness | B5L31A |
| HP SmartCard NIPRNet Solution for US Government | CC543B |
| HP SmartCard SIPRNet Solution for US Government | F8B30A |
| HP USB Universal Card Reader | X3D03A |
| HP LaserJet Hole Punch 2/3 Accessory | Y1G10A |
| HP LaserJet Hole Punch 2/4 Accessory | Y1G11A |
| HP LaserJet Hole Punch Swedish Accessory | Y1G12A |
| HP LaserJet Inner/Booklet Staples | Y1G13A |
| HP LaserJet Stapler/Stacker Finisher Staples | Y1G14A |
| HP LaserJet Paper Tray Heaters Accessory | Y1G22A |
| HP HIP2 Keystroke Reader | Y7C05A |
| HP SIM for HID iClass for HIP2 Reader | Y7C07A |
| HP LaserJet Department Lunar Gray Color Panel | 190A3A |
| HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel | 190A4A |
| HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel | 190A5A |
| HP LaserJet Department Stand Lunar Gray Color Panel | 190A8A |
| HP LaserJet Department Comet Red Color Panel | 190B3A |
| HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel | 190B4A |
| HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel | 190B5A |
| HP LaserJet Department Stand Comet Red Color Panel | 190B8A |
| HP LaserJet Department Cosmic Green Color Panel | 190C3A |
| HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel | 190C4A |
| HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel | 190C5A |
| HP LaserJet Department Stand Cosmic Green Color Panel | 190C8A |
| HP LaserJet Department Constellation Yellow Color Panel | 190D3A |
| HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel | 190D4A |
| HP LaserJet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel | 190D5A |
| HP LaserJet Department Stand Constellation Yellow Color Panel | 190D8A |
| HP LaserJet Department Aurora Purple Color Panel | 190F3A |
| HP LaserJet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel | 190F4A |
| HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel | 190F5A |
| HP LaserJet Department Stand Aurora Purple Color Panel | 190F8A |

Disclaimers and trademarks

Legal footnotes

1. HP Security is now HP Wolf Security. Security features vary by platform; please see the product data sheet for details.
2. DMIPS comparison based on main system processor core on predecessor comparison; Managed E876/E825/E778/E731/E774/E724 series vs. Managed E800/E700 series product platforms.
3. Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims> Exact speed varies depending on the system configuration, software application, driver, and document complexity.
4. Reverse and retry technology is only available on Flow-based models.
5. Management of customized delivery options are only available with the optional Workflow accelerator card; availability in January 2023.
6. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28_Test_Pages/
7. Color panels are optional and availability may vary. Check with your HP Reseller for details.
8. HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.
9. 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced, certified and recycled fibers.
10. 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed.
11. See hp.com/TonerRecycledContent for list of individual supply percentages for the Original HP Toner supply use of recycled content.
12. HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.
13. Dependent upon country setup specifications.
14. HP Planet Partners Program availability varies. For more information, visit hp.com/hprecycle
15. HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit hp.com/go/PrintersThatProtect For more information, visit hp.com/go/PrinterSecurityClaims
16. HP Security Manager must be purchased separately.
17. Hardware Integration Pocket Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
18. HP EveryPage Technology is powered by ultrasonic multi-feed detection.
19. Measured using ISO/IEC 17629. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
20. Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see <http://www.hp.com/go/learnaboutsupplies>
21. Accessories may vary by region.
22. Inner finisher is not compatible with 70ppm.
23. HP LaserJet Workflow Accelerator Card, 6HN30A, will be available in January 2023.

